

X-Quick

FOR THE INFINITELY VARIABLE LENGTH ADJUSTMENT OF SHUTTERING PROFILES AS A SUBSTITUTE FOR STYROFOAM PROFILES



REDUCE COSTS | PROTECT THE ENVIRONMENT | INCREASE QUALITY

With the new X-Quick system, the shuttering profiles are cut to the exact length with the appropriate special shears during manual shuttering and then bent accordingly by hand or with the bending device. Positioning and fixing is carried out via special 4-sided MXQ magnets.



X-Quick


ADVANTAGES OF X-QUICK

- Exactly contoured shuttering completion
- Fast handling
- Multiple use
- No disposal costs
- Significantly reduced storage space compared to Styropor
- Individual shuttering dimensions can be realized
- No manual removal of adhesive material from the shuttering table



SCOPE OF DELIVERY



- X-Quick shuttering boards made of sheet steel
- X-Quick workstation system, consisting of limit stop systems, special shears with measuring scale and a substructure
- Q-Quick special magnets MXQ70/60
- Demolding tool for X-Quick shuttering magnets



Shuttering board



Special magnet



Weckenmann Anlagentechnik GmbH & Co. KG
Birkenstraße 1
72358 Dormettingen
GERMANY

www.weckenmann.com
e-mail: info@weckenmann.com
Tel.: +49 7427 9493-0
Fax: +49 7427 9493-29